Schedule for Measured Wholesale Water

Standard charges

| Standard charges | |
|--|------------------|
| Measured water | |
| Standing charges | £ per meter per |
| <15mm | annum 5.00 |
| 15mm | 5.00 |
| 16-19mm | 5.00 |
| 20mm | 5.00 |
| 21mm | 5.00 |
| 22mm | 5.00 |
| 23-24mm | 5.00 |
| 25mm | 56.00 |
| 26-28mm | 56.00 |
| 29-30mm | 56.00 |
| 31-35mm | 56.00 |
| 36-40mm | 56.00 |
| 41-42mm | 56.00 |
| 43-49mm | 56.00 |
| 50mm | 56.00 |
| 51-54mm | 56.00 |
| 55-64mm | 56.00 |
| 65mm | 56.00 |
| 66-79mm | 56.00 |
| 80mm | 56.00 |
| 81-99mm | 56.00 |
| 100mm | 56.00 |
| 101-199mm | 56.00 |
| 200mm | 56.00 |
| 201mm and above | 56.00 |
| <40mm inferential | 56.00 |
| 40-50mm inferential | 56.00 |
| 50-79mm inferential | 56.00 |
| 80mm inferential | 56.00 |
| 81-100mm inferential | 56.00 |
| >100m inferential | 56.00 |
| Farm troughs | N/A |
| Other applicable fixed charges | £ p.a. |
| Up to 0.5 MI pa | N/A |
| 0.5-1 MI pa | N/A |
| 1-5 MI pa | N/A |
| 5-10Ml pa | N/A |
| 10-15MI pa | N/A |
| 15-20Ml pa | N/A |
| 20-25MI pa | 117.00 |
| 25-50 MI pa | 117.00 |
| 50-100 MI pa | 117.00 117.00 |
| 100-150 MI pa 150-175 MI pa | 164.00 |
| 175-180 MI pa | 164.00 |
| 180-250 MI pa | 164.00 |
| 250-500 MI pa | 164.00 |
| 500-750 MI pa | 264.00 |
| 750-1,000 MI pa | 264.00 |
| Over 1,000 MI pa | 264.00 |
| Optional Measured service charge falling block tariffs | N/A |
| The below table relates to forecast annual usage - it is not a ris | |

The charges detailed here should be read in conjunction with the Wholesale Charges Scheme. "Other applicable fixed charges" relate to Measured Service Charges associated with the Company's falling block tariffs.

"Volumetric charges per m³ - falling block tariffs" relate to the Volumetric Charges associated with the Company's falling block tariffs.

The charges provided in this schedule are inclusive of the costs associated with Open Water and setup of the non-household retail market.

| Over 1,000 MI pa | 264.00 | | | | |
|---|-----------------------|--------|-----------------|-------------------------|------------------|
| Optional Measured service charge falling block tariffs | N/A | | | | |
| The below table relates to forecast annual usage - it is not | a rising block tariff | | | | |
| Volumetric charges per m ³ – fixed band | Apr | May | Jun-Aug | Sep | Oct-Mar |
| Up to 0.5 MI pa | 2.9569 | 2.9569 | 2.9569 | 2.9569 | 2.9569 |
| 0.5-1 MI pa | 2.9569 | 2.9569 | 2.9569 | 2.9569 | 2.9569 |
| 1-3 MI pap | 2.9569 | 2.9569 | 2.9569 | 2.9569 | 2.9569 |
| 3-5 MI pa | 2.9569 | 2.9569 | 2.9569 | 2.9569 | 2.9569 |
| 5-10Ml pa | 2.9569 | 2.9569 | 2.9569 | 2.9569 | 2.9569 |
| 10-15Ml pa | 2.9569 | 2.9569 | 2.9569 | 2.9569 | 2.9569 |
| 15-20Ml pa | 2.9569 | 2.9569 | 2.9569 | 2.9569 | 2.9569 |
| 20-25 MI pa | 2.9569 | 2.9569 | 2.9569 | 2.9569 | 2.9569 |
| 25-50 MI pa | 2.9569 | 2.9569 | 2.9569 | 2.9569 | 2.9569 |
| 50-100 MI pa | 2.9569 | 2.9569 | 2.9569 | 2.9569 | 2.9569 |
| 100-150 MI pa | 2.9569 | 2.9569 | 2.9569 | 2.9569 | 2.9569 |
| 150-175 MI pa | 2.9569 | 2.9569 | 2.9569 | 2.9569 | 2.9569 |
| 175-180 MI pa | 2.9569 | 2.9569 | 2.9569 | 2.9569 | 2.9569 |
| 180-250Ml pa | 2.9569 | 2.9569 | 2.9569 | 2.9569 | 2.9569 |
| 250-500 MI pa | 2.9569 | 2.9569 | 2.9569 | 2.9569 | 2.9569 |
| 500-750 MI pa | 2.9569 | 2.9569 | 2.9569 | 2.9569 | 2.9569 |
| 750-1,000 MI pa | 2.9569 | 2.9569 | 2.9569 | 2.9569 | 2.9569 |
| 1,000-2,500 MI pa | 2.9569 | 2.9569 | 2.9569 | 2.9569 | 2.9569 |
| 2,500 - 3,000 MI pa | 2.9569 | 2.9569 | 2.9569 | 2.9569 | 2.9569 |
| Over 3,000 MI pa | 2.9569 | 2.9569 | 2.9569 | 2.9569 | 2.9569 |
| Volumetric charges per m ³ rising block tariff (forecast | | | Data of indivi- | dual rising blocks show | us bouissantally |

| Volumetric charges per m³ – rising block tariff (forecast | Rate of individual rising blocks shown horizontally | | | | | | |
|--|---|---------|-------------------|--------------------------|-----------------|-------------|--------------|
| volume shown vertically) | 0-20MI | 20-50MI | 50-100 M I | 100-150MI | 150-250MI | 250-3,000MI | Over 3,000MI |
| 50MI | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| 100MI | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| 150MI+ | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Volumetric charges per m³ – falling block tariff (forecast | | | Rate of indivi | dual falling blocks shov | vn horizontally | | |
| volume shown vertically) | 0-20MI | 20-50MI | 50-100MI | 100-150MI | 150-250MI | 250-3,000MI | Over 3,000MI |
| <20MI | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| 20-50MI | 2.9569 | 2.4210 | 2.4210 | 2.4210 | 2.4210 | 2.4210 | 2.4210 |
| 50-100MI | 2.9569 | 2.4210 | 2.4210 | 2.4210 | 2.4210 | 2.4210 | 2.4210 |
| 100-150MI | 2.9569 | 2.4210 | 2.4210 | 2.4210 | 2.4210 | 2.4210 | 2.4210 |
| 150-180MI | 2.9569 | 2.9569 | 2.9569 | 1.7286 | 1.7286 | 1.7286 | 1.7286 |
| 180-250MI | 2.9569 | 2.9569 | 2.9569 | 1.7286 | 1.7286 | 1.7286 | 1.7286 |
| 250-750MI | 2.9569 | 2.9569 | 2.9569 | 2.9569 | 1.4082 | 1.4082 | 1.4082 |
| 750-3,000MI | 2.9569 | 2.9569 | 2.9569 | 2.9569 | 1.4082 | 1.4082 | 1.4082 |
| 3,000MI | 2.9569 | 2.9569 | 2.9569 | 2.9569 | 1.4082 | 1.4082 | 1.4082 |

Standby charges

Measured water

| Standing charges | £ per meter per annum |
|--|--------------------------|
| <15mm | N/A |
| 15mm | N/A |
| 16-19mm | N/A |
| 20mm | N/A |
| 21mm | N/A |
| 22mm | N/A |
| 23-24mm | N/A |
| 25mm | N/A |
| 26-28mm | N/A |
| 29-30mm | N/A |
| 31-35mm | N/A |
| 36-40mm | N/A |
| 41-42mm | N/A |
| 43-49mm | N/A |
| 50mm | N/A |
| 51-54mm | N/A |
| 55-64mm | N/A |
| 65mm | N/A |
| 66-79mm | N/A |
| 80mm | N/A |
| 81-99mm | N/A |
| 100mm | N/A |
| 101-199mm | N/A |
| 200mm | N/A |
| 201mm and above | N/A |
| <40mm inferential | N/A |
| 40-50mm inferential | N/A |
| 50-79mm inferential | N/A |
| 80mm inferential | N/A |
| 81-100mm inferential | N/A |
| >100m inferential | N/A |
| Farm troughs | N/A |
| Other applicable fixed charges | £ p.a. |
| Up to 0.5 MI pa | N/A |
| 0.5-1 MI pa | N/A |
| 1-5 MI pa | N/A |
| 5-10MI pa | N/A |
| 10-15Ml pa | N/A |
| 15-20Ml pa | N/A |
| 20-25Ml pa | N/A |
| 25-50 MI pa | N/A |
| 50-100 MI pa | N/A |
| 100-150 MI pa | N/A |
| 150-175 MI pa | N/A |
| 175-180 MI pa | N/A |
| 180-250 MI pa | N/A |
| 250-500 MI pa | N/A |
| 500-750 MI pa | N/A |
| 750-1,000 MI pa | N/A |
| Over 1,000 MI pa | N/A |
| Optional Measured service charge falling block tariffs | N/A |
| The below table relates to forecast annual usage - it is not | |
| Volumetric charges per m³ – fixed band | Apr |
| Up to 0.5 MI pa | N/A |

The company offers tariffs of this nature but the charges do not fit into this template. The charges are detailed in the Wholesale Charges Scheme.

| The below table relates to forecast annual usage - it is not a rising block tariff | | | | | | | | | |
|--|-----|-----|---------|-----|---------|--|--|--|--|
| Volumetric charges per m³ – fixed band | Apr | May | Jun-Aug | Sep | Oct-Mar | | | | |
| Up to 0.5 Ml pa | N/A | N/A | N/A | N/A | N/A | | | | |
| 0.5-1 MI pa | N/A | N/A | N/A | N/A | N/A | | | | |
| 1-3 MI pap | N/A | N/A | N/A | N/A | N/A | | | | |
| 3-5 MI pa | N/A | N/A | N/A | N/A | N/A | | | | |
| 5-10Ml pa | N/A | N/A | N/A | N/A | N/A | | | | |
| 10-15Ml pa | N/A | N/A | N/A | N/A | N/A | | | | |
| 15-20Ml pa | N/A | N/A | N/A | N/A | N/A | | | | |

| 20-25 MI pa | | | | | | | |
|---|--|---|---|--|--|---|--|
| 20 20 Mil pa | N/A | N/A | N/A | N/A | N/A | | |
| 25-50 MI pa | N/A | N/A | N/A | N/A | N/A | | |
| 50-100 MI pa | N/A | N/A | N/A | N/A | N/A | | |
| 100-150 MI pa | N/A | N/A | N/A | N/A | N/A | | |
| 150-175 MI pa | N/A | N/A | N/A | N/A | N/A | | |
| 175-180 MI pa | N/A | N/A | N/A | N/A | N/A | | |
| 180-250Ml pa | N/A | N/A | N/A | N/A | N/A | | |
| 250-500 Ml pa | N/A | N/A | N/A | N/A | N/A | | |
| 500-750 MI pa | N/A | N/A | N/A | N/A | N/A | | |
| 750-1,000 MI pa | N/A | N/A | N/A | N/A | N/A | | |
| 1,000-2,500 MI pa | N/A | N/A | N/A | N/A | N/A | | |
| 2,500 - 3,000 MI pa | N/A | N/A | N/A | N/A | N/A | | |
| Over 3,000 MI pa | N/A | N/A | N/A | N/A | N/A | | |
| Volumetric charges per m³ – rising block tariff (forecast | | | Rate of individ | ual rising blocks show | vn horizontally | | |
| volume shown vertically) | 0-20MI | 20-50MI | 50-100MI | 100-150MI | 150-250MI | 250-3,000MI | Over 3,000MI |
| 50MI | N/A | N/A | N 1 / A | N 1 / A | | | |
| JOIVII | I N/ / \ | IN/A | N/A | N/A | N/A | N/A | N/A |
| 100MI | N/A | N/A N/A | N/A N/A | N/A N/A | N/A N/A | N/A N/A | N/A N/A |
| | | | | | | | |
| 100MI 150MI+ | N/A | N/A | N/A N/A | N/A | N/A N/A | N/A | N/A |
| 100Ml 150Ml+ Volumetric charges per m³ – falling block tariff (forecast | N/A | N/A | N/A N/A | N/A N/A | N/A N/A | N/A | N/A |
| 100Ml 150Ml+ Volumetric charges per m³ – falling block tariff (forecast volume shown vertically) | N/A N/A | N/A N/A | N/A N/A Rate of individ | N/A N/A ual falling blocks shov | N/A N/A vn horizontally | N/A N/A | N/A N/A |
| 100MI | N/A N/A 0-20MI | N/A N/A 20-50MI | N/A N/A Rate of individ 50-100MI | N/A N/A ual falling blocks shov 100-150Ml | N/A N/A vn horizontally 150-250MI | N/A N/A 250-3,000MI | N/A N/A Over 3,000MI |
| 100Ml 150Ml+ Volumetric charges per m³ – falling block tariff (forecast volume shown vertically) <20Ml | N/A N/A 0-20MI N/A | N/A N/A 20-50MI N/A | N/A N/A Rate of individ 50-100MI N/A | N/A N/A ual falling blocks shov 100-150MI N/A | N/A N/A vn horizontally 150-250MI N/A | N/A N/A 250-3,000MI N/A | N/A N/A Over 3,000MI N/A |
| 100Ml 150Ml+ Volumetric charges per m³ – falling block tariff (forecast volume shown vertically) <20Ml 20-50Ml | N/A N/A 0-20MI N/A N/A | N/A N/A 20-50MI N/A N/A | N/A N/A Rate of individ 50-100MI N/A N/A | N/A N/A ual falling blocks shov 100-150MI N/A N/A | N/A N/A vn horizontally 150-250MI N/A N/A | N/A N/A 250-3,000MI N/A N/A | N/A N/A Over 3,000MI N/A N/A |
| 100MI 150MI+ Volumetric charges per m³ – falling block tariff (forecast volume shown vertically) <20MI 20-50MI 50-100MI 100-150MI | N/A N/A 0-20MI N/A N/A N/A | N/A N/A 20-50MI N/A N/A N/A | N/A N/A Rate of individ 50-100MI N/A N/A N/A | N/A N/A ual falling blocks show 100-150MI N/A N/A N/A | N/A N/A vn horizontally 150-250MI N/A N/A N/A | N/A N/A 250-3,000MI N/A N/A N/A | N/A N/A Over 3,000MI N/A N/A N/A |
| 100MI 150MI+ Volumetric charges per m³ – falling block tariff (forecast volume shown vertically) <20MI 20-50MI 50-100MI 100-150MI | N/A N/A O-20MI N/A N/A N/A N/A | N/A N/A 20-50MI N/A N/A N/A N/A | N/A N/A Rate of individ 50-100MI N/A N/A N/A N/A | N/A N/A ual falling blocks show 100-150MI N/A N/A N/A N/A | N/A N/A vn horizontally 150-250MI N/A N/A N/A N/A | N/A N/A 250-3,000MI N/A N/A N/A N/A | N/A N/A Over 3,000MI N/A N/A N/A N/A |
| 100Ml 150Ml+ Volumetric charges per m³ – falling block tariff (forecast volume shown vertically) <20Ml 20-50Ml 50-100Ml | N/A N/A O-20MI N/A N/A N/A N/A N/A | N/A N/A 20-50MI N/A N/A N/A N/A N/A | N/A N/A Rate of individ 50-100MI N/A N/A N/A N/A N/A | N/A N/A ual falling blocks show 100-150MI N/A N/A N/A N/A N/A | N/A N/A vn horizontally 150-250MI N/A N/A N/A N/A N/A | N/A N/A 250-3,000MI N/A N/A N/A N/A N/A | N/A N/A Over 3,000MI N/A N/A N/A N/A N/A |
| 100MI 150MI+ Volumetric charges per m³ – falling block tariff (forecast volume shown vertically) <20MI 20-50MI 50-100MI 100-150MI 150-180MI 180-250MI | N/A N/A O-20MI N/A N/A N/A N/A N/A N/A | N/A N/A 20-50MI N/A N/A N/A N/A N/A N/A | N/A N/A Rate of individ 50-100MI N/A N/A N/A N/A N/A N/A | N/A N/A ual falling blocks show 100-150MI N/A N/A N/A N/A N/A N/A | N/A N/A vn horizontally 150-250MI N/A N/A N/A N/A N/A N/A | N/A N/A 250-3,000MI N/A N/A N/A N/A N/A N/A | N/A N/A Over 3,000MI N/A N/A N/A N/A N/A N/A |

Interruptible charges

| Interruptible charges | |
|--|-----------------|
| Measured water | |
| Standing charges | £ per meter per |
| <15mm | annum 179.00 |
| 15mm | 179.00 |
| 16-19mm | 179.00 |
| 20mm | 179.00 |
| 21mm | 179.00 |
| 22mm | 179.00 |
| 23-24mm | 179.00 |
| 25mm | 231.00 |
| 26-28mm | 231.00 |
| 29-30mm | 231.00 |
| 31-35mm | 231.00 |
| 36-40mm | 231.00 |
| 41-42mm | 231.00 |
| 43-49mm | 231.00 |
| 50mm | 231.00 |
| 51-54mm | 231.00 |
| 55-64mm | 231.00 |
| 65mm | 231.00 |
| 66-79mm | 231.00 |
| 80mm | 231.00 |
| 81-99mm | 231.00 |
| 100mm | 231.00 |
| 101-199mm | 231.00 |
| 200mm | 231.00 |
| 201mm and above | 231.00 |
| <40mm inferential | N/A |
| 40-50mm inferential | N/A |
| 50-79mm inferential | N/A |
| 80mm inferential | N/A |
| 81-100mm inferential | N/A |
| >100m inferential | N/A |
| Farm troughs Other applicable fixed charges | N/A £ p.a. |
| Up to 0.5 MI pa | N/A |
| 0.5-1 MI pa | N/A |
| 1-5 MI pa | N/A |
| 5-10Ml pa | N/A |
| 10-15Ml pa | N/A |
| 15-20Ml pa | N/A |
| 20-25MI pa | 428.00 |
| 25-50 MI pa | 428.00 |
| 50-100 MI pa | 428.00 |
| 100-150 MI pa | 428.00 |
| 150-175 MI pa | 428.00 |
| 175-180 MI pa | 428.00 |
| 180-250 MI pa | 428.00 |
| 250-500 MI pa | 428.00 |
| 500-750 MI pa | 428.00 |
| 750-1,000 MI pa | 428.00 |
| Over 1,000 MI pa | 428.00 |
| Optional Measured service charge falling block tariffs | 428.00 |

The charges detailed here should be read in conjunction with the Wholesale Charges Scheme. "Other applicable fixed charges" relate to Measured Service Charges associated with the Company's Optional Tariffs.

"Volumetric charges per m³ - fixed band" and "Volumetric charges per m³ - falling block tariffs" relate to the Volumetric Charges associated with the Company's Optional Tariffs MDT and MDT

The charges provided include the costs associated with Open Water and setup of the non-household retail market.

| +20.00 | | | | |
|---------------------|--|---|-------------------------|-----------------|
| rising block tariff | | | | |
| Apr | May | Jun-Aug | Sep | Oct-Mar |
| N/A | N/A | N/A | N/A | N/A |
| N/A | N/A | N/A | N/A | N/A |
| N/A | N/A | N/A | N/A | N/A |
| N/A | N/A | N/A | N/A | N/A |
| 2.7766 | 2.7766 | 2.7766 | 2.7766 | 2.7766 |
| 2.7766 | 2.7766 | 2.7766 | 2.7766 | 2.7766 |
| 2.7766 | 2.7766 | 2.7766 | 2.7766 | 2.7766 |
| 2.7766 | 2.7766 | 2.7766 | 2.7766 | 2.7766 |
| 2.7766 | 2.7766 | 2.7766 | 2.7766 | 2.7766 |
| 2.7766 | 2.7766 | 2.7766 | 2.7766 | 2.7766 |
| 2.7766 | 2.7766 | 2.7766 | 2.7766 | 2.7766 |
| 2.7766 | 2.7766 | 2.7766 | 2.7766 | 2.7766 |
| 2.7766 | 2.7766 | 2.7766 | 2.7766 | 2.7766 |
| 2.7766 | 2.7766 | 2.7766 | 2.7766 | 2.7766 |
| 2.7766 | 2.7766 | 2.7766 | 2.7766 | 2.7766 |
| 2.7766 | 2.7766 | 2.7766 | 2.7766 | 2.7766 |
| 2.7766 | 2.7766 | 2.7766 | 2.7766 | 2.7766 |
| 2.7766 | 2.7766 | 2.7766 | 2.7766 | 2.7766 |
| 2.7766 | 2.7766 | 2.7766 | 2.7766 | 2.7766 |
| 2.7766 | 2.7766 | 2.7766 | 2.7766 | 2.7766 |
| | | Rate of individ | lual rising blocks shov | vn horizontally |
| | Apr N/A N/A N/A N/A 2.7766 | Apr May N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A 2.7766 2.7766 | N/A | N/A |

| Volumetric charges per m³ – rising block tariff (forecast | Rate of individual rising blocks shown horizontally | | | | | | |
|--|---|------------------|-------------------|--------------------------|-----------------|----------------------|--------------|
| volume shown vertically) | 0-20 M I | 20-50MI | 50-100 M l | 100-150MI | 150-250MI | 250-3,000MI | Over 3,000MI |
| 50MI | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| 100MI | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| 150MI+ | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Volumetric charges per m³ – falling block tariff (forecast | | | Rate of individ | dual falling blocks shov | vn horizontally | | |
| volume shown vertically) | 0-20 M I | 20-50 M I | 50-100 M l | 100-150MI | 150-250MI | 250-3,000 M I | Over 3,000MI |
| <20MI | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| 20-50MI | 2.7766 | 2.2741 | 2.2741 | 2.2741 | 2.2741 | 2.2741 | 2.2741 |
| 50-100MI | 2.7766 | 2.2741 | 2.2741 | 2.2741 | 2.2741 | 2.2741 | 2.2741 |
| 100-150MI | 2.7766 | 2.2741 | 2.2741 | 2.2741 | 2.2741 | 2.2741 | 2.2741 |
| 150-180MI | 2.7766 | 2.2741 | 2.2741 | 2.2741 | 2.2741 | 2.2741 | 2.2741 |
| 180-250MI | 2.7766 | 2.2741 | 2.2741 | 2.2741 | 2.2741 | 2.2741 | 2.2741 |
| 250-750MI | 2.7766 | 2.2741 | 2.2741 | 2.2741 | 2.2741 | 2.2741 | 2.2741 |
| 750-3,000MI | 2.7766 | 2.2741 | 2.2741 | 2.2741 | 2.2741 | 2.2741 | 2.2741 |
| 3,000MI | 2.7766 | 2.2741 | 2.2741 | 2.2741 | 2.2741 | 2.2741 | 2.2741 |

Non-potable charges

| Measured water | | | | |
|---------------------|--------------------------|--|--|--|
| Standing charges | £ per meter per annum | | | |
| <15mm | N/A | | | |
| 15mm | N/A | | | |
| 16-19mm | N/A | | | |
| 20mm | N/A | | | |
| 21mm | N/A | | | |
| 22mm | N/A | | | |
| 23-24mm | N/A | | | |
| 25mm | N/A | | | |
| 26-28mm | N/A | | | |
| 29-30mm | N/A | | | |
| 31-35mm | N/A | | | |
| 36-40mm | N/A | | | |
| 41-42mm | N/A | | | |
| 43-49mm | N/A | | | |
| 50mm | N/A | | | |
| 51-54mm | N/A | | | |
| 55-64mm | N/A | | | |
| 65mm | N/A | | | |
| 66-79mm | N/A | | | |
| 80mm | N/A | | | |
| 81-99mm | N/A | | | |
| 100mm | N/A | | | |
| 101-199mm | N/A | | | |
| 200mm | N/A | | | |
| 201mm and above | N/A | | | |
| <40mm inferential | N/A | | | |
| 40-50mm inferential | N/A | | | |
| 50-79mm inferential | N/A | | | |
| 80mm inferential | N/A | | | |

| The Company does not | offer a supply of non | -potable water. | |
|----------------------|-----------------------|-----------------|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| Farm troughs | N/A | | | | | | |
|---|-----------------|------------------|-------------------|-------------------------|--------------------|-------------|-------------|
| Other applicable fixed charges | £p.a. | | | | | | |
| Up to 0.5 MI pa | N/A | | | | | | |
| 0.5-1 MI pa | N/A | | | | | | |
| 1-5 MI pa | N/A | | | | | | |
| 5-10Ml pa | N/A | | | | | | |
| 10-15Ml pa | N/A | | | | | | |
| 15-20MI pa | N/A | | | | | | |
| 20-25MI pa | N/A | | | | | | |
| 25-50 MI pa | N/A | | | | | | |
| 50-100 MI pa | N/A | | | | | | |
| · | | | | | | | |
| 100-150 MI pa | N/A | | | | | | |
| 150-175 MI pa | N/A | | | | | | |
| 175-180 MI pa | N/A | | | | | | |
| 180-250 MI pa | N/A | | | | | | |
| 250-500 MI pa | N/A | | | | | | |
| 500-750 MI pa | N/A | | | | | | |
| 750-1,000 MI pa | N/A | | | | | | |
| Over 1,000 MI pa | N/A | | | | | | |
| Optional Measured service charge falling block tariffs | N/A | | | | | _ | |
| The below table relates to forecast annual usage - it is not a risi | ng block tariff | | | | | | |
| Volumetric charges per m³ – fixed band | Apr | May | Jun-Aug | Sep | Oct-Mar | Ī | |
| Up to 0.5 MI pa | N/A | N/A | N/A | N/A | N/A | | |
| 0.5-1 MI pa | N/A | N/A | N/A | N/A | N/A | | |
| | N/A N/A | N/A N/A | N/A N/A | N/A N/A | N/A N/A | | |
| 1-3 MI pap | | | | | | | |
| 3-5 MI pa | N/A | N/A | N/A | N/A | N/A | | |
| 5-10Ml pa | N/A | N/A | N/A | N/A | N/A | | |
| 10-15MI pa | N/A | N/A | N/A | N/A | N/A | | |
| 15-20MI pa | N/A | N/A | N/A | N/A | N/A | | |
| 20-25 MI pa | N/A | N/A | N/A | N/A | N/A | | |
| 25-50 MI pa | N/A | N/A | N/A | N/A | N/A | | |
| 50-100 MI pa | N/A | N/A | N/A | N/A | N/A | | |
| 100-150 MI pa | N/A | N/A | N/A | N/A | N/A | | |
| 150-175 MI pa | N/A | N/A | N/A | N/A | N/A | | |
| 175-180 MI pa | N/A | N/A | N/A | N/A | N/A | | |
| 180-250Ml pa | N/A | N/A | N/A | N/A | N/A | | |
| 250-500 MI pa | N/A | N/A | N/A | N/A | N/A | | |
| 500-750 MI pa | N/A | N/A | N/A | N/A | N/A | | |
| 750-1,000 MI pa | N/A | N/A | N/A | N/A | N/A | | |
| 1,000-2,500 MI pa | N/A | N/A | N/A | N/A | N/A | | |
| | N/A N/A | N/A N/A | N/A N/A | N/A N/A | N/A N/A | | |
| 2,500 - 3,000 MI pa | | | N/A N/A | | | | |
| Over 3,000 Ml pa | N/A | N/A | | N/A | N/A | | |
| Volumetric charges per m³ – rising block tariff (forecast | | 00-00-0 | | lual rising blocks show | | 05000000 | |
| volume shown vertically) | 0-20MI | 20-50MI | 50-100MI | 100-150MI | 150-250MI | 250-3,000MI | Over 3,000N |
| 50MI | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| 100MI | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| 150MI+ | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Volumetric charges per m³ – falling block tariff (forecast | | | Rate of individ | ual falling blocks sho | wn horizontally | | |
| volume shown vertically) | 0-20 M I | 20-50 M I | 50-100 M I | 100-150 M I | 150-250 M I | 250-3,000MI | Over 3,000 |
| <20MI | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| 20-50MI | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| 50-100MI | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| 100-150Ml | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| 150-180Ml | N/A N/A | N/A N/A | N/A N/A | N/A N/A | N/A N/A | N/A N/A | N/A N/A |
| | | | | | | | |
| 180-250MI | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| / M 1 / M 1 M | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| 250-750MI | | B I / A | NI/A | N/A | N/A | N/A | N/A |
| 750-3,000MI 3,000MI | N/A N/A | N/A N/A | N/A N/A | N/A | N/A | N/A | N/A |

N/A N/A

Max demand (reservation)

81-100mm inferential >100m inferential

| Measured water (potable) | |
|---|-----------------|
| Standing charges | £ per meter per |
| | annum |
| <15mm | N/A |
| 15mm | N/A |
| 16-19mm | N/A |
| 20mm | N/A |
| 21mm | N/A |
| 22mm | N/A |
| 23-24mm | N/A |
| 25mm | N/A |
| 26-28mm | N/A |
| 29-30mm | N/A |
| 31-35mm | N/A |
| 36-40mm | N/A |
| 41-42mm | N/A |
| 43-49mm | N/A |
| 50mm | N/A |
| 51-54mm | N/A |
| 55-64mm | N/A |
| 65mm | N/A |
| 66-79mm | N/A |
| 80mm | N/A |
| 81-99mm | N/A |
| 100mm | N/A |
| 101-199mm | N/A |
| 200mm | N/A |
| 201mm and above | N/A |
| <40mm inferential | N/A |
| 40-50mm inferential | N/A |
| 50-79mm inferential | N/A |
| 80mm inferential | N/A |
| 81-100mm inferential | N/A |
| >100m inferential | N/A |
| Farm troughs | N/A |
| Other applicable fixed charges | £ p.a. |
| Up to 0.5 MI pa | N/A |
| 0.5-1 MI pa | N/A |
| 1-5 MI pa | N/A |
| 5-10Ml pa | N/A |
| 10-15Ml pa | N/A |
| 15-20Ml pa | N/A |
| 20-25Ml pa | N/A |
| 25-50 Ml pa | N/A |
| 50-100 MI pa | N/A |
| 100-150 MI pa | N/A |
| 150-175 MI pa | N/A |
| 175-180 MI pa | N/A |
| 180-250 MI pa | N/A |
| 250-500 MI pa | N/A |
| 500-750 MI pa | N/A |
| 750-1,000 MI pa | N/A |
| Over 1,000 MI pa | N/A |
| Optional Measured service charge falling block tariffs | N/A |
| The below table relates to forecast annual usage - it is not a risi | |
| Volumetric charges per m³ – fixed band | Apr |
| Up to 0.5 Ml pa | N/A |
| 0.5-1 MI pa | N/A |
| 1-3 MI pap | N/A |
| ι ο τιπ ραρ | 1 W/ / \ |

The company offers tariffs of this nature but the charges do not fit into this template. The charges are detailed in the Wholesale Charges Scheme.

| Over 1,000 Mi pa | IN/A | | | | |
|--|-------------------|-----|----------------|-------------------------|-----------------|
| Optional Measured service charge falling block tariffs | N/A | | | | |
| The below table relates to forecast annual usage - it is not a ris | sing block tariff | | | | |
| Volumetric charges per m³ – fixed band | Apr | May | Jun-Aug | Sep | Oct-Mar |
| Up to 0.5 MI pa | N/A | N/A | N/A | N/A | N/A |
| 0.5-1 MI pa | N/A | N/A | N/A | N/A | N/A |
| 1-3 MI pap | N/A | N/A | N/A | N/A | N/A |
| 3-5 MI pa | N/A | N/A | N/A | N/A | N/A |
| 5-10Ml pa | N/A | N/A | N/A | N/A | N/A |
| 10-15MI pa | N/A | N/A | N/A | N/A | N/A |
| 15-20MI pa | N/A | N/A | N/A | N/A | N/A |
| 20-25 MI pa | N/A | N/A | N/A | N/A | N/A |
| 25-50 MI pa | N/A | N/A | N/A | N/A | N/A |
| 50-100 MI pa | N/A | N/A | N/A | N/A | N/A |
| 100-150 MI pa | N/A | N/A | N/A | N/A | N/A |
| 150-175 MI pa | N/A | N/A | N/A | N/A | N/A |
| 175-180 MI pa | N/A | N/A | N/A | N/A | N/A |
| 180-250Ml pa | N/A | N/A | N/A | N/A | N/A |
| 250-500 MI pa | N/A | N/A | N/A | N/A | N/A |
| 500-750 MI pa | N/A | N/A | N/A | N/A | N/A |
| 750-1,000 MI pa | N/A | N/A | N/A | N/A | N/A |
| 1,000-2,500 MI pa | N/A | N/A | N/A | N/A | N/A |
| 2,500 - 3,000 MI pa | N/A | N/A | N/A | N/A | N/A |
| Over 3,000 MI pa | N/A | N/A | N/A | N/A | N/A |
| Volumetric charges per m³ – rising block tariff (forecast | | | Rate of indivi | dual rising blocks show | vn horizontally |
| · · · · · · · · · · · · · · · · · · · | | | | | |

| Volumetric charges per m³ – rising block tariff (forecast | Rate of individual rising blocks shown horizontally | | | | | | | |
|--|---|------------------|-----------------|-------------------------|--------------------|-------------|--------------|--|
| volume shown vertically) | 0-20MI | 20-50MI | 50-100MI | 100-150MI | 150-250MI | 250-3,000MI | Over 3,000MI | |
| 50MI | N/A | N/A | N/A | N/A | N/A | N/A | N/A | |
| 100MI | N/A | N/A | N/A | N/A | N/A | N/A | N/A | |
| 150MI+ | N/A | N/A | N/A | N/A | N/A | N/A | N/A | |
| Volumetric charges per m³ – falling block tariff (forecast | | | Rate of individ | dual falling blocks sho | wn horizontally | | | |
| volume shown vertically) | 0-20MI | 20-50 M I | 50-100MI | 100-150 M I | 150-250 M I | 250-3,000MI | Over 3,000MI | |
| <20MI | N/A | N/A | N/A | N/A | N/A | N/A | N/A | |
| 20-50MI | N/A | N/A | N/A | N/A | N/A | N/A | N/A | |
| 50-100MI | N/A | N/A | N/A | N/A | N/A | N/A | N/A | |
| 100-150MI | N/A | N/A | N/A | N/A | N/A | N/A | N/A | |
| 150-180MI | N/A | N/A | N/A | N/A | N/A | N/A | N/A | |
| 180-250MI | N/A | N/A | N/A | N/A | N/A | N/A | N/A | |
| 250-750MI | N/A | N/A | N/A | N/A | N/A | N/A | N/A | |
| 750-3,000MI | N/A | N/A | N/A | N/A | N/A | N/A | N/A | |
| 3,000MI | N/A | N/A | N/A | N/A | N/A | N/A | N/A | |

| Maximum daily demand charges | £ per m³ per day |
|------------------------------|------------------|
| 10-25 MI pa | N/A |
| 25MI-250MI | N/A |
| 250MI-500MI | N/A |
| Over 500MI | N/A |

| Other applicable fixed charges (reservation tariff) – eservation fee | Apr-Sep | Oct-Mar |
|--|---------|---------|
| .3MI peak monthly demand | N/A | N/A |
| .4MI peak monthly demand | N/A | N/A |
| .5MI peak monthly demand | N/A | N/A |
| .6MI peak monthly demand | N/A | N/A |
| .7MI peak monthly demand | N/A | N/A |
| .8MI peak monthly demand | N/A | N/A |
| .9MI peak monthly demand | N/A | N/A |
| .0MI peak monthly demand | N/A | N/A |
| ach additional 0.1Ml peak monthly demand | N/A | N/A |
| Reservation charge for reserved capacity tariffs | N/A | N/A |

| Volumetric charges per m³ (reservation tariff) | Within reservation volume | In excess of reservation volume |
|--|---------------------------|---------------------------------|
| Up to 350Ml pa | N/A | N/A |
| Over 350Ml pa | N/A | N/A |

Schedule for Unmeasured Wholesale Water

| Unmeasured water | |
|---|-------------|
| Standing / fixed charge | £ Per annum |
| Minimum charge | N/A |
| RV min< £1,001 | N/A |
| RV £1,001 - £5,000 | N/A |
| RV £5,001 - £50,000 | N/A |
| RV >£50,000 | N/A |
| No / Zero RV | N/A |
| Licence charge (mixed properties) | N/A |
| Licence charge (standard commercial) | N/A |
| Assessed Band 1 | 161.00 |
| Assessed Band 2 | 262.00 |
| Assessed Band 3 | 332.00 |
| Assessed Band 4 | 388.00 |
| Assessed Band 5 | 463.00 |
| Assessed Band 6 | 524.00 |
| Assessed Band 7 | 582.00 |
| Assessed Band 8 | 637.00 |
| Assessed description 9 | N/A |
| Assessed description 10 | N/A |
| Variable | £ per unit |
| RV < £1,001 | 2.8549 |
| RV £1,001 - £5,000 | 2.8549 |
| RV £5,001 - £50,000 | 2.8549 |
| RV >£50,000 | 2.8549 |
| Estimated volume (m³) | N/A |
| Assessed description 1 | N/A |
| Assessed description 2 | N/A |
| Assessed description 3 | N/A |
| Assessed description 4 | N/A |
| Assessed description 5 | N/A |
| Assessed description 6 | N/A |
| Assessed description 7 | N/A |
| Assessed description 8 | N/A |
| Assessed description 9 | N/A |
| Assessed description 10 | N/A |
| Other | £ Per annum |
| Sprinkler | 121.00 |
| Meter minimum equivalent | N/A |
| Single lock-up garage | N/A |
| Water/washdown Points 1 | N/A |
| Allotment Tanks 1 | N/A |
| Cricket Pitch | N/A |
| Tennis Court | N/A |
| Ornamental Pond/Fountain | N/A |
| Block lock-up garage | N/A |
| Swimming pool <90m³ capacity | N/A |
| Swimming pool 90+m³ capacity | N/A |
| Supplementary charges - swimming pool (circulating) | N/A |
| Supplementary charges - swimming pool (non-circulating) | N/A |
| Other - Special category | 73.00 |
| Other - description 2 | N/A |
| Other description 4 | N/A |
| Other - description 5 | N/A N/A |
| Other - description 5 | IV/A |
| Schedule for Measured Wholesale Wastewater | |

The charges detailed here should be read in conjunction with the Wholesale Charges Scheme. The charges provided in this schedule are inclusive of the costs associated with Open Water and setup of the non-household retail market.

| Area-based charges (£ p.a.) | | | | | | | | |
|-----------------------------|--------------------------------|--------------------------|---------------------------------------|--|--|--|--|--|
| Fixed charge | Surface Water Drainage only | Highway Drainage only | Surface water and Highway Drainage | | | | | |
| 0-20 m2 | N/A | N/A | N/A | | | | | |
| 21-99 m2 | N/A | N/A | N/A | | | | | |
| 100-124 m2 | N/A | N/A | N/A | | | | | |
| 125-199 m2 | N/A | N/A | N/A | | | | | |
| 200-299 m2 | N/A | N/A | N/A | | | | | |
| 300-349 m2 | N/A | N/A | N/A | | | | | |
| 350-499 m2 | N/A | N/A | N/A | | | | | |
| 500-649 m2 | N/A | N/A | N/A | | | | | |
| 650-749 m2 | N/A | N/A | N/A | | | | | |
| 750-9,999 m2 | N/A | N/A | N/A | | | | | |
| 1,000-1,499 m2 | N/A | N/A | N/A | | | | | |
| 1,500-1,999 m2 | N/A | N/A | N/A | | | | | |
| 2,000-2,499 m2 | N/A | N/A | N/A | | | | | |
| 2,500-2,999 m2 | N/A | N/A | N/A | | | | | |
| 3,000-4,999 m2 | N/A | N/A | N/A | | | | | |
| 5,000-6,999 m2 | N/A | N/A | N/A | | | | | |
| 7,000-7,499 m2 | N/A | N/A | N/A | | | | | |
| 7,500-9,999 m2 | N/A | N/A | N/A | | | | | |
| 10,000-11,999 m2 | N/A | N/A | N/A | | | | | |
| 12,000-14,999 m2 | N/A | N/A | N/A | | | | | |
| 15,000-17,999 m2 | N/A | N/A | N/A | | | | | |
| 18,000-19,999 m2 | N/A | N/A | N/A | | | | | |
| 20,000-24,999 m2 | N/A | N/A | N/A | | | | | |
| 25,000-29,999 m2 | N/A | N/A | N/A | | | | | |
| 30,000-34,999 m2 | N/A | N/A | N/A | | | | | |
| 35,000-39,999 m2 | N/A | N/A | N/A | | | | | |
| 40,000-44,999 m2 | N/A | N/A | N/A | | | | | |
| 45,000-49,999 m2 | N/A | N/A | N/A | | | | | |
| 50,000-74,999 m2 | N/A | N/A | N/A | | | | | |
| 75,000-99,999 m2 | N/A | N/A | N/A | | | | | |
| 100,000-124,999 m2 | N/A | N/A | N/A | | | | | |
| 125,000-149,999 m2 | N/A | N/A | N/A | | | | | |
| 150,000 m2 and above | N/A | N/A | N/A | | | | | |

The charges detailed here should be read in conjunction with the Wholesale Charges Scheme. Note that alternative site-based fixed charges (to meter size-based fixed charges) for tariffs with annual usage >20 Ml per annum are not displayed on this schedule. The charges provided in this schedule are inclusive of the costs associated with Open Water and setup of the non-household retail market.

| | Me | eter based charges (| £ p.a.) | | | |
|--------------|---|----------------------|-----------|--------------------------|--------------------------------|---|
| Fixed charge | Full (Foul, Surface Water Drainage, and Highway Drainage) | Abated | Foul only | Highway Drainage only | Surface Water Drainage only | Surface Water Drainage and Highway Drainage |
| <15mm | N/A | N/A | N/A | 25.00 | 27.00 | 52.00 |
| 15-19mm | N/A | N/A | N/A | 25.00 | 27.00 | 52.00 |
| 20-22mm | N/A | N/A | N/A | 25.00 | 27.00 | 52.00 |
| 23-24mm | N/A | N/A | N/A | 25.00 | 27.00 | 52.00 |
| 25-28mm | N/A | N/A | N/A | 128.00 | 136.00 | 264.00 |
| 29mm | N/A | N/A | N/A | 128.00 | 136.00 | 264.00 |
| 30-39mm | N/A | N/A | N/A | 210.00 | 222.00 | 432.00 |
| 40-42mm | N/A | N/A | N/A | 288.00 | 304.00 | 592.00 |
| 43-49mm | N/A | N/A | N/A | 288.00 | 304.00 | 592.00 |
| 50-64mm | N/A | N/A | N/A | 527.00 | 559.00 | 1086.00 |
| 65mm | N/A | N/A | N/A | 766.00 | 812.00 | 1578.00 |
| 66-79mm | N/A | N/A | N/A | 766.00 | 812.00 | 1578.00 |
| 80mm | N/A | N/A | N/A | 1346.00 | 1428.00 | 2774.00 |
| 81-99mm | N/A | N/A | N/A | 1346.00 | 1428.00 | 2774.00 |
| 100mm | N/A | N/A | N/A | 2333.00 | 2476.00 | 4809.00 |
| 101-124mm | N/A | N/A | N/A | 2333.00 | 2476.00 | 4809.00 |
| 125-149mm | N/A | N/A | N/A | 3171.00 | 3363.00 | 6534.00 |
| 150mm | N/A | N/A | N/A | 4787.00 | 5078.00 | 9865.00 |
| 151-199mm | N/A | N/A | N/A | 4787.00 | 5078.00 | 9865.00 |
| 200-249mm | N/A | N/A | N/A | 6341.00 | 6727.00 | 13068.00 |
| 250-299mm | N/A | N/A | N/A | 6341.00 | 6727.00 | 13068.00 |
| >300mm | N/A | N/A | N/A | 6341.00 | 6727.00 | 13068.00 |

| Volume based charges (£ per m³) | | | | | | | | | |
|--|---|---------------------------|-----------------------|--------------------------|--------------------------------|---|--|--|--|
| Volumetric charges | Full (Foul, Surface Water Drainage, and Highway Drainage) | Abated | Foul only | Highway Drainage only | Surface Water Drainage only | Surface Water Drainage and Highway Drainage | | | |
| < 0.5 MI pa | N/A | N/A | 2.5524 | N/A | N/A | N/A | | | |
| 0.5-5 MI pa | N/A | N/A | 2.5524 | N/A | N/A | N/A | | | |
| 5-20 MI pa | N/A | N/A | 2.5524 | N/A | N/A | N/A | | | |
| 20-50Ml pa | N/A | N/A | 2.5524 | N/A | N/A | N/A | | | |
| 50-100Ml pa | N/A | N/A | 2.5524 | N/A | N/A | N/A | | | |
| 100-250Ml pa | N/A | N/A | 2.5524 | N/A | N/A | N/A | | | |
| >250 MI pa | N/A | N/A | 2.5524 | N/A | N/A | N/A | | | |
| Volumetric charges – rising block (forecast volume shown | Rat | te of individual rising l | olocks shown horizont | ally | | | | | |

vertically) **50-100MI** N/A N/A **100-250MI** N/A N/A >250MI N/A N/A <50MI N/A N/A 100MI

| 150MI | N/A | N/A | N/A | N/A | |
|---|----------------|---------------------------|-----------------------|--------|--------------------------|
| Volumetric charges – falling block (forecast volume shown | Ra | te of individual rising b | olocks shown horizont | ally | |
| vertically) | <50 M I | 50-100MI | 100-250 M I | >250MI | Separate standing charge |
| 50MI | N/A | N/A | N/A | N/A | N/A |
| 100MI | N/A | N/A | N/A | N/A | N/A |
| 150MI | N/A | N/A | N/A | N/A | N/A |

Abated falling block

| Volumetric charges – falling block (forecast volume shown | Rate of individual rising blocks shown horizontally | | | | | |
|---|---|----------|-----------|--------|--|--|
| vertically) | <50MI | 50-100MI | 100-250MI | >250MI | | |
| 50MI | N/A | N/A | N/A | N/A | | |
| 100MI | N/A | N/A | N/A | N/A | | |
| 150MI | N/A | N/A | N/A | N/A | | |

Wastewater Mogden (not trade effluent)

| Standard Components - where non-traders are charged on waste strength | | | | | | | | | |
|---|----------|----------|----------|----------|--|--|--|--|--|
| Volumetric charges | R [p/m³] | V [p/m³] | B [p/m³] | S [p/m³] | | | | | |
| 0-80Ml per annum | 105.29 | 43.61 | 62.66 | 32.58 | | | | | |
| >80Ml per annum | 43.88 | 43.61 | 53.26 | 32.58 | | | | | |
| Minimum Charge (£/annum) | 20000.00 | 20000.00 | 20000.00 | 20000.00 | | | | | |
| Resampling Charge | 500.00 | 500.00 | 500.00 | 500.00 | | | | | |

Schedule for Unmeasured Wholesale Wastewater

| Unmeasured wastewater (£ p.a.) | | | | | | | | | | |
|--------------------------------|-----------|--------------------------|--------------------------------|------------------------------|---|---|--|--|--|--|
| Fixed charges | Foul only | Highway Drainage only | Surface Water Drainage only | Foul and Highway Drainage | Surface Water Drainage and Highway Drainage | Full (Foul, Surface Water Drainage, and Highway Drainage) | | | | |
| Minimum charge | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| RV min< £50 | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| RV 50-1001 | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| RV £1,001 - £5,000 | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| RV £5,001 - £50,000 | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| RV >£50,000 | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| No / Zero RV | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| Assessed Band 1 | 111.00 | 25.00 | 27.00 | 136.00 | 52.00 | 163.00 | | | | |
| Assessed Band 2 | 194.00 | 25.00 | 27.00 | 219.00 | 52.00 | 246.00 | | | | |
| Assessed Band 3 | 252.00 | 25.00 | 27.00 | 277.00 | 52.00 | 304.00 | | | | |
| Assessed Band 4 | 298.00 | 25.00 | 27.00 | 323.00 | 52.00 | 350.00 | | | | |
| Assessed Band 5 | 359.00 | 25.00 | 27.00 | 384.00 | 52.00 | 411.00 | | | | |
| General: 12/15 mm (0.5") | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| General: 20/22 mm (0.75") | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| General: 25/28 mm (1") | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| General: 30/32/35mm (1.25") | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| General: 40/42 mm (1.5") | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| General: 50/54 mm (2") | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| General: 65 mm (2.5") | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| General: 75/80 mm (3") | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| General: 100 mm (4") | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| Assessed 12/15 mm (<=0.5") | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| Assessed 20/22 mm (0.75") | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| Assessed 25/28 mm (1") | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| Assessed 30/32/35 mm (1.25") | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| Assessed 40/42 mm (1.5") | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| Assessed 50/54 mm (2") | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| Assessed 65 mm (2.5") | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| Assessed 75/80 mm (3") | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| 1 400 (411) | N 1 / A | N 1 / A | N 1 / A | N 1 / A | N I / A | N 1 / A | | | | |

The charges detailed here should be read in conjunction with the Wholesale Charges Scheme.
The charges provided in this schedule are inclusive of the costs associated with Open Water and setup of the non-household retail market.

| Assessed 100 mm (4") | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
|------------------------------------|-----------|--------------------------|--------------------------------|------------------------------|---|---|--|--|--|--|
| Unmeasured wastewater (£ per unit) | | | | | | | | | | |
| Variable charges | Foul only | Highway Drainage only | Surface Water Drainage only | Foul and Highway Drainage | Surface Water Drainage and Highway Drainage | Full (Foul, Surface Water Drainage, and Highway Drainage) | | | | |
| Per poundage of RV | 2.1947 | 0.1520 | 0.1642 | 2.3467 | 0.3161 | 2.5108 | | | | |
| RV min< £50 | 2.1947 | 0.1520 | 0.1642 | 2.3467 | 0.3161 | 2.5108 | | | | |
| RV 50-1001 | 2.1947 | 0.1520 | 0.1642 | 2.3467 | 0.3161 | 2.5108 | | | | |
| RV £1,001 - £5,000 | 2.1947 | 0.1520 | 0.1642 | 2.3467 | 0.3161 | 2.5108 | | | | |
| RV £5,001 - £50,000 | 2.1947 | 0.1520 | 0.1642 | 2.3467 | 0.3161 | 2.5108 | | | | |
| RV >£50,000 | 2.1947 | 0.1520 | 0.1642 | 2.3467 | 0.3161 | 2.5108 | | | | |
| Description 1 | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| Description 2 | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| Description 3 | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| Description 4 | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| Description 5 | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| Description 6 | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| Description 7 | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| Description 8 | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| Description 9 | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| Description 10 | N/A | N/A | N/A | N/A | N/A | N/A | | | | |

| Unmeasured wastewater (£ p.a.) | | | | | | | | | | |
|---|-----------|--------------------------|--------------------------------|------------------------------|---|---|--|--|--|--|
| Other charges | Foul only | Highway Drainage only | Surface Water Drainage only | Foul and Highway Drainage | Surface Water Drainage and Highway Drainage | Full (Foul, Surface Water Drainage, and Highway Drainage) | | | | |
| Single lock-up garage | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| General access to supplies: per employee charge | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| Car park | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| Place of worship | N/A | N/A | N/A | N/A | N/A | N/A | | | | |
| Assessed Band 6 | 409.00 | 25.00 | 27.00 | 434.00 | 52.00 | 461.00 | | | | |
| Assessed Band 7 | 457.00 | 25.00 | 27.00 | 482.00 | 52.00 | 509.00 | | | | |
| Assessed Band 8 | 502.00 | 25.00 | 27.00 | 527.00 | 52.00 | 554.00 | | | | |

Trade effluent

| Standard components | <0.5 MI | 0.5-5 M I | 5-25 M I | 25-50MI | 50-100 M I | 100-250 M I | >250 M I | Other large user charge |
|--|---------|------------------|-----------------|---------|-------------------|--------------------|-----------------|----------------------------|
| R = reception and conveyance charge [p/m³] | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| V = primary treatment (volumetric) charge [p/m³] | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Bv = additional volume charge if there is biological treatment [p/m³] | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| M = treatment and disposal charge where effluent goes to sea outfall [p/m³] | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| B = biological oxidation of settled sewage charge [p/kg] | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| S = treatment and disposal of primary sewage sludge charge [p/kg] | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| (V + Bv) = primary treatment with biological treatment [p/m³] (if V and Bv are zero above) | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Os = Chemical oxygen demand (COD) of crude sewage one hour quiescent settlement | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Ss = total suspended solids of crude sewage [mg/litre] | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Ot = Chemical oxygen demand (COD) of effluent after one hour quiescent settlement at ph 7 | N/A | | | | | | | |
| St = total suspended solids of effluent at ph 7 [mg/litre] | | | | N/ | /A | | | |

Where charge per m^3 of effluent = R + [(V + Bv) or M] + B(Ot/Os) + S(St/Ss)

Alternative structure:

| Fixed charges (£ p.a.) | <0.5 MI | 0.5-5 M I | 5-25MI | 25-50 M I | 50-100MI | 100-250 M I | >250MI | Other large user charge |
|--|--|---|---|--|---|--|--|---|
| Standing charge Minimum charge Sampling charge description 1 Sampling charge description 2 Sampling charge description 3 Sampling charge description 4 Sampling charge description 5 Sampling charge description 6 | 372.00 N/A N/A N/A N/A N/A N/A | 372.00 N/A N/A N/A N/A N/A N/A N/A | 372.00 N/A N/A N/A N/A N/A N/A N/A | 527.00 N/A N/A N/A N/A N/A N/A | 745.00 N/A N/A N/A N/A N/A N/A N/A | 745.00 N/A N/A N/A N/A N/A N/A | 745.00 N/A N/A N/A N/A N/A N/A | N/A N/A N/A N/A N/A N/A N/A |
| Other (£ p.a.) | <0.5 MI | 0.5-5 M I | 5-25 M I | 25-50MI | 50-100 M I | 100-250 M I | >250MI | Other large user charge |
| Other - description 1 Other - description 2 Other - description 3 Other - description 4 Other - description 5 | N/A N/A N/A N/A | N/A N/A N/A N/A N/A | N/A N/A N/A N/A N/A | N/A N/A N/A N/A N/A | N/A N/A N/A N/A N/A | N/A N/A N/A N/A N/A | N/A N/A N/A N/A N/A | N/A N/A N/A N/A N/A |

| Falling block | | | | | | | | | | |
|---|----------|----------|----------|----------|--|--|--|--|--|--|
| Volumetric charges (forecast volume shown vertically) | R [p/m³] | V [p/m³] | B [p/m³] | S [p/m³] | | | | | | |
| 0-80Ml per annum | 105.29 | 43.61 | 62.66 | 32.5 | | | | | | |
| >80Ml per annum | 43.88 | 43.61 | 53.26 | 32.5 | | | | | | |
| Other | p/m³ | | | | | | | | | |
| Laundrettes | N/A | | | | | | | | | |
| Car washes | N/A | | | | | | | | | |
| Dry cleaners | N/A | | | | | | | | | |
| Commercial swimming pools | N/A | | | | | | | | | |
| Other - description 1 | N/A | | | | | | | | | |
| Other - description 2 | N/A | | | | | | | | | |
| Other - description 3 | N/A | | | | | | | | | |
| Other - description 4 | N/A | | | | | | | | | |
| Other - description 5 | N/A | | | | | | | | | |

The charges detailed here should be read in conjunction with the Wholesale Charges Scheme. The charges provided in this schedule are inclusive of the costs associated with

Open Water and setup of the non-household retail market.